## **AMENDMENTS TO THE CLAIMS**

The following listing of claims replaces all prior versions and listings of the claims in this application.

## **Listing of the Claims**

1-193. (Cancelled)

194. (Currently amended) An isolated heteromeric taste receptor that responds to umami-taste stimuli and comprises at least one T1R1 polypeptide and at least one T1R3 polypeptide, wherein said T1R1 polypeptide is (i) encoded by a nucleic acid sequence comprising SEQ. ID. NO: 8, (ii) encoded by a nucleic acid sequence comprising a nucleic acid that hybridizes to SEQ. ID. NO: 8 under stringent hybridization conditions which are conducting the hybridization reaction at 42°C in a solution comprising 50% formamide, 5X SSC, and 1% SDS and washing at 65°C in a solution comprising 0.2X SSC and 0.1% SDS, or (iii) a T1R1 polypeptide possessing at least 95% sequence identity to the T1R1 polypeptide of SEQ. ID. NO: 5;

and wherein said T1R3 polypeptide is (i) encoded by a nucleic acid sequence comprising SEQ. ID. NO: 9 or SEQ. ID. NO: 11; (ii) encoded by a nucleic acid sequence that hybridizes to SEQ. ID. NO: 9 or or SEQ. ID. NO: 11 under stringent hybridization conditions which are conducting the hybridization reaction at 42°C in a solution comprising 50% formamide, 5X SSC, 10% SDS; and washing at 65°C in a solution comprising 0.2X SCC and 0.1% SDS, or (iii) a T1R3 polypeptide possessing at least 95% sequence identity to the T1R3 polypeptide of SEQ. ID. NO: 4 or SEQ. ID. NO: 7.

195. (Previously presented) The isolated heteromeric receptor of claim 194, which is expressed by a recombinant host cell that contains T1R1 and T1R3 nucleic acid sequences.

196. (Canceled)

197. (Canceled)

- 198. (Previously presented) The isolated heteromeric receptor of claim 194, wherein said T1R1 and T1R3 polypeptide are of the same species origin.
- 199. (Previously presented) The isolated heteromeric receptor of claim 194, wherein said T1R1 polypeptide has the sequence of SEQ. ID. NO: 5.

## 200. (Canceled)

- 201. (Previously presented) The isolated heteromeric receptor of claim 194, wherein said T1R1 receptor polypeptide has an amino acid sequence that possesses at least 95% sequence identity to the polypeptide of SEQ. ID. NO: 5.
- 202. (Previously presented) The isolated heteromeric receptor of claim 194, wherein said T1R1 receptor polypeptide has an amino acid sequence that possesses at least 96% sequence identity to the polypeptide of SEQ. ID. NO: 5.
- 203. (Previously presented) The isolated heteromeric receptor of claim 194, wherein said T1R1 receptor polypeptide has an amino acid sequence that possesses at least 97% sequence identity to the polypeptide of SEQ. ID. NO: 5.
- 204. (Previously presented) The isolated heteromeric receptor of claim 194, wherein said T1R1 receptor polypeptide has a sequence that possesses at least 98% sequence identity to the polypeptide of SEQ. ID. NO: 5.
- 205. (Previously presented) The isolated heteromeric receptor of claim 194, wherein said T1R1 receptor polypeptide has an amino acid sequence that possesses at least 99% sequence identity to the polypeptide of SEQ. ID. NO: 5.
- 206. (Previously presented) The isolated heteromeric receptor of claim 194, wherein said T1R1 polypeptide is encoded by the nucleic acid sequence of SEQ. ID. NO: 8.
- 207. (Previously presented) The isolated heteromeric receptor of claim 194, wherein said T1R1 polypeptide is encoded by a nucleic acid sequence that hybridizes to SEQ ID NO: 8 under stringent hybridization conditions which are conducting the hybridization reaction at

42°C in a solution comprising 50% formamide, 5X SSC, and 1% SDS and washing at 65°C in a solution comprising 0.2X SSC and 0.1% SDS.

208. (Canceled)

209. (Previously presented) The isolated heteromeric receptor of claim 194, wherein said T1R3 is a human T1R3 polypeptide having the sequence of SEQ. ID. NO: 7.

210. (Canceled)

- 211. (Previously presented) The isolated heteromeric receptor of claim 194, wherein said T1R3 polypeptide is a human T1R3 polypeptide having at least 95% sequence identity to the polypeptide of SEQ. ID. NO: 7.
- 212. (Previously presented) The isolated heteromeric receptor of claim 194, wherein said T1R3 polypeptide is a human T1R3 polypeptide having at least 96% sequence identity to the polypeptide of SEQ. ID. NO: 7.
- 213. (Previously presented) The isolated heteromeric receptor of claim 194, wherein said T1R3 polypeptide is a human T1R3 polypeptide having at least 97% sequence identity to the polypeptide of SEQ. ID. NO: 7.
- 214. (Previously presented) The isolated heteromeric receptor of claim 194, wherein said T1R3 polypeptide is a human T1R3 polypeptide having at least 98% sequence identity to the polypeptide of SEQ. ID. NO: 7.
- 215. (Previously presented) The isolated heteromeric receptor of claim 194, wherein said T1R3 polypeptide is a human T1R3 polypeptide having at least 99% sequence identity to the polypeptide of SEQ. ID. NO: 7.
- 216. (Currently amended) The isolated heteromeric receptor of claim 194, wherein said T1R3 polypeptide is encoded by the nucleic acid sequence of SEQ. ID. NO: 9 or SEQ. ID. NO: 11.

- 217. (Currently amended) The isolated heteromeric receptor of claim 194, wherein said T1R3 polypeptide is encoded by a nucleic acid sequence that hybridizes to SEQ ID NO: 9 or SEQ. ID. NO: 11 under stringent hybridization conditions which are conducting the hybridization reaction at 42°C in a solution comprising 50% formamide, 5X SSC, and 1% SDS and washing at 65°C in a solution comprising 0.2X SSC and 0.1% SDS.
- 218. (Previously presented) The isolated heteromeric receptor of claim 194 which is expressed by a recombinant host cell.
- 219. (Previously presented) The isolated heteromeric receptor of claim 218, wherein said cell is a mammalian, yeast, insect or amphibian cell.
- 220. (Previously presented) A membrane extract comprising said heteromeric receptor of claim 194.
- 221. (Previously presented) A lipid bilayer comprising said said heteromeric receptor of claim 194.
- 222. (Previously presented) The isolated heteromeric receptor of claim 194 which is immobilized on a solid phase.
- 223. (Previously presented) The isolated heteromeric receptor of claim 194 which is attached to a detectable label.
- 224. (Previously presented) The isolated heteromeric receptor of claim 223, wherein said label is an enzyme, radionuclide, fluorophore or chemiluminescent compound.
- 225. (Previously presented) The isolated heteromeric receptor of claim 194 which further comprises a G protein.
- 226. (Previously presented) The isolated heteromeric receptor of claim 225, wherein said G protein is  $G_{\alpha 15}$ ,  $G_{\alpha 16}$ , gustducin or transducin.

- 227. (Previously presented) The isolated heteromeric receptor of claim 194 which is complexed with an antibody.
- 228. (Previously presented) The isolated heteromeric receptor of claim 194 which is in solution.
- 229. (Currently amended) The isolated heteromeric receptor of claim 194 wherein said T1R1 polypeptide comprises the amino acid sequence of SEQ. ID. NO: 5 and said T1R3 polypeptide comprises the sequence of SEQ. ID. NO: 4 or SEQ. ID. NO: 7.

230-258. (Canceled)

- 259. (New) The isolated heteromeric receptor of claim 194 which is expressed by an endogenous taste cell.
- 260. (New) The cell of claim 259, wherein the cell is a taste cell present in foliate, circumvallate or fungiform papillae.
- 261. (New) The cell of claim 259, wherein the cell is a taste cell present in geschmackstreifen, oral cavity, gastrointestinal epithelium or epiglottis.
- 262. (New) The cell of claim 261, wherein the cell is a taste cell present in gastrointestinal epithelium.